

# FunSTOPPHOTOS™ GEN II

## GEN II PHOTO BOOTH FEATURES

Table of Contents	
Gen II is Two Photo Booths in One.....	1
Two High-Capacity Dye Sublimation Printers.....	2
Choose as Many as Four Bill Acceptors PLUS Two Credit Card Readers.....	3
Two High-Quality Cameras with Zoom Adjustments.....	4
Industrial-Grade Electronics.....	4
LED Cabinet and Control Lighting.....	5
High Security Locking Systems.....	5
Full Metal Frame, Plywood Construction, Heavy Duty Casters & Leg Levelers.....	5
Giant Camera Topper with Strobe Capability.....	6
Software Features.....	6
Language Options.....	8
Gen II Dimensions.....	9



### *Gen II is Two Photo Booths in One*

- ❖ Best value in the industry. Fun Stop Photos™ Gen II is two photo booths in one, with two Touch Screen LCD monitors, two dye-sublimation printers, two high-quality cameras, and two bill acceptors – all for the price of one photo booth! Fun Stop Photos™ is the best value in the industry!
- ❖ Substantially lower media costs. Fun Stop Photos™ still has the lowest media cost in the industry! Your Fun Stop Photos™ Gen II photo booth comes with two cases of media included for free. And, ongoing media costs for a Fun Stop Photos™ photo booth are as much as 80% lower than the cost of other photo booths' media. Save \$3,000 to \$6,000 in media costs every year – year after year – with a Fun Stop Photos™ photo booth.
- ❖ Double your revenue potential. Customers can take photos inside and outside at the same time, thanks to the super-fast Quad Core motherboard in Gen II. And, your customers can purchase extra copies of their photos.
- ❖ Accept payments both inside and outside the photo booth. Every Fun Stop Photos™ photo booth comes equipped with two bill acceptors – and can support as many as four bill acceptors and two credit card readers – for your busiest locations.

## **Two High-Capacity Dye Sublimation Printers with “Smart Printing”**

- ❖ Fun Stop Photos™ has the greatest print capacity of any photo booth on the market. With two high-capacity dye sublimation printers, Fun Stop Photos™ has a total media capacity of 1,200 – 4” x 6” prints, which is double the capacity of other photo booths.
- ❖ Customers can take photos from inside and outside the Fun Stop Photos™ Gen II photo booth, at the same time!
- ❖ The new “Smart Printing” feature automatically optimizes photo booth printing to maximize throughput, while simultaneously maintaining the reliability for which Fun Stop Photos™ is known.
  - Smart Printing allows greater throughput for high traffic locations, such as theme parks, zoos and social events.
    - In order to serve a high volume of customers quickly, the Smart Printing feature operates both printers at the same time if the inside and outside cameras are being used simultaneously.
    - When only one camera is in use, the software automatically chooses the printer with the least amount of media remaining.
    - If either printer runs out of media or fails for any reason, Fun Stop Photos™ Gen II automatically switches its print process to the other printer. Customers still can take photos both inside and outside at the same time.
  - Single-Printer Operation Override ensures that the Operator will never run out of paper at a remote location between service visits.
    - The Operator can choose to override Smart Printing and have all photos – whether taken inside or outside of the photo booth – processed through a single printer queue. The photos will be printed in the order they were taken.
    - With the “Single Printer Override” set, your customers still can take their photos inside and outside the photo booth, at the same time.
    - When the first printer empties, Fun Stop Photos™ Gen II automatically switches its print process to the second printer.
    - Even if your service tech is unavailable for days or weeks, Fun Stop Photos™ Gen II will remain in service until a technician can attend to the machine.

- ❖ A printer “empty” or “failure” icon will appear on the Touch Screen LCD, alerting the service technician of a problem – without requiring the technician to open the machine. This icon is only recognized by trained personnel and only appears if there is an issue that needs service. (See “Software Features” below for more details.)
  - ❖ Printers are mounted on an interlocking mounting bracket, which allows for easy “works in a draw” access. In the unlikely event that a printer needs service, it is easily removed in just a few minutes. The Fun Stop Photos™ Gen II booth will continue to function using the second printer.
- 

### ***Choose as Many as Four Bill Acceptors PLUS Two Credit Card Readers***

- ❖ Dual Bill Acceptors. Two bill acceptors are included with every Fun Stop Photos™ Gen II photo booth.
    - The photo booth can be equipped with up to four bill acceptors PLUS two credit card readers, in whatever combination you choose.
    - Token and foreign currency options are available.
  - ❖ Currency acceptors are the most vulnerable component in all vending machines. By installing two (2) bill acceptors as a standard feature, Team Play doubles the ability of your Fun Stop Photos™ Gen II photo booth to accept currency and dramatically increases its reliability.
  - ❖ Increased bill capacity allows for less frequent collections, making your life easier! The standard interior bill acceptor accepts 500 bills, and the outside accepts 300 bills. With additional bill acceptors installed, the potential capacity becomes 1,600 bills per photo booth.
  - ❖ Credit / Debit Card Ready: Your Fun Stop Photos™ Gen II booth comes pre-wired to facilitate easy installation of any third-party credit card system. One or two credit card readers can be installed at Team Play’s factory, or can be installed after market by the Operator.
  - ❖ Debit Card System Ready. This feature allows any location using an in-house debit card system to let their patrons know that the photo booth is card activated. The on-screen message will read “Swipe Card to Begin.”
-

## **Two High-Quality Cameras with Auto-Center and Zoom Adjustments**

- ❖ The interior camera has electronic autofocus and light adjust features. Our cameras are High Definition and do not require motors, thus eliminating all moving parts which would normally be used by the customer to adjust the camera.
  - ❖ Through our custom software, the Fun Stop Photos™ Gen II booth automatically centers the camera on the subject, in order to frame the picture. If the customer wishes to further adjust, he or she can use the up and down buttons on the Touch Screen LCD at any time during the picture process to adjust the frame through the software.
  - ❖ Gen II offers a new “Zoom” feature to compliment its wide-angle lens cameras. Customers can use the on-screen option to “Zoom” the camera in, for a more intimate shot. For a larger group, the wide-angle lens gets everyone into the photo.
  - ❖ The exterior camera is used for attraction, instruction and advertising. Pictures can be taken at operator-selectable intervals and are displayed on the rear Touch Screen LCD. The exterior camera, too, has the electronic autofocus, light adjust features, and no motors or moving parts.
- 

## **Industrial-Grade Electronics**

- ❖ Industrial Grade Motherboard. Fun Stop Photos™ Gen II uses an industrial grade motherboard system with Quad Core processors. This system is designed specifically for extreme industrial environments that are subjected to high heat, humidity, constant use, dirt and industrial grime. The new Quad Core processors are perfect for high-speed processing, allowing photos to be taken inside and outside simultaneously – and be printed quickly.
  - ❖ The Quad Core mother board solution that Team Play selected is scheduled to be in production for the next five years – unlike consumer grade electronics (desktop computers) which often go to end-of-life within one or two years, prohibiting backward compatibility.
  - ❖ Medical Grade Power Supply. In addition, Team Play uses a medical grade power supply costing several times the cost of conventional computer power supplies. Medical grade power supplies are more costly, because they are built to a higher standard and must be substantially more reliable than conventional power supplies.
-

### ***LED Cabinet and Control Lighting***

- ❖ All decorative lighting used on the Fun Stop Photos™ Gen II cabinet consists of low voltage (12v) LEDs with the manufacturers' estimated operating life of 100,000 hours (11-plus years).
  - ❖ All button controls and interior subject light also are low voltage (12v) LEDs estimated to operate for 100,000 hours.
  - ❖ The attract strobe atop our trademarked camera topper also utilizes low voltage (24v) LEDs. At Team Play, we strive to minimize your service calls and make life easier for you!
- 

### ***High Security Locking Systems***

- ❖ The Fun Stop Photos™ Gen II photo booth is designed to be an unattended, stand-alone vending machine, so we have addressed your security concerns. Our Fun Stop Photos™ Gen II booth uses two screw-type "T" handle locking systems to protect the printer access panel and rear electronics access panel. The interior and exterior cash doors are equipped with "T" handle, quarter-turn, three-point locking systems.
  - ❖ Forced Entry Feature: The photo booth camera doubles as a security camera. Forced entry of the cash door on a Fun Stop Photos™ Gen II booth will trigger an automatic series of photos to be taken of the offender providing evidence of the crime.
- 

### ***Full Metal Frame, Plywood Construction, Heavy Duty Casters & Leg Levelers***

- ❖ Fun Stop Photos™ Gen II photo booths have a full 1½ inch integrated square tubular steel frame supporting a plywood floor.
- ❖ The left and right sidewalls and seat are constructed of ¾ inch furniture-grade plywood.
- ❖ The front, back and ceiling are double-wall box construction, built from a combination of plywood and MDF components.

- ❖ Individually, each of the four 3-inch, heavy-duty casters is capable of supporting the entire 470 lbs. of the Fun Stop Photos™ Gen II booth. Each caster has a dynamic load rating of 700 pounds, resulting in a total load capacity of 2800 lbs.
  - ❖ The heavy-duty ¼ inch “broad pad” leg levelers are threaded directly into the steel frame of the Fun Stop Photos™ Gen II photo booth, ensuring the stability of the cabinet on any surface. We do not T-nut the leg levelers through wood! That is a very unreliable way to stabilize a cabinet. Instead, Fun Stop Photos™ leg levelers are threaded through the steel frame.
- 


### ***Giant Camera Topper with Strobe Capability***

- ❖ The neon-green Camera Topper is trademarked by Team Play, Inc., and really draws attention from across the room. The Topper is easily installed or removed.
  - ❖ The 24v LED strobe in the Camera Topper is enabled through the photo booth menu features and works in conjunction with the rear camera for the attract screen. The rear picture and strobe interval can be set from 30 seconds to 10 minutes. Or, the strobe can be turned off completely.
- 

### ***Software Features***

- ❖ Wide Format Rear Touch Screen LCD advertising allows the operator to add hundreds of advertising images to be displayed on one or both of the LCD Touch Screens.
- ❖ Social Media Capabilities allow customers to immediately email their photos and upload their images to their own Facebook pages.
- ❖ Upsell Screen allows your customers to print as many copies of their photos as they would like, for an additional fee amount set by the Operator.
- ❖ Multiple formatting options for photos. Customers can select from two print formats. The 2” x 6” photo strip format has three or four photos per strip, depending on whether the 4<sup>th</sup> frame is customized with a logo. The 4” x 6” photo format is a single photo, which the customer can frame at home. Uploading your custom logo or border identifies the print as being a keepsake from your Location.

- ❖ Visual and Verbal Instructions. Instructions are periodically displayed on both LCD monitors, allowing customers to become familiar with how to use your Fun Stop Photos™ Gen II photo booth. In addition, customers are visually and verbally walked through the picture process, upon payment start up.
- ❖ Time-released advertising allows the operator or location to load a number of ads or promotions for the month, quarter or year, displaying them automatically only during the time designated.
- ❖ Fourth-frame customization allows the operator to add a company logo, redeemable coupon, or advertisement to the fourth frame of each photo strip. Using the menu options and a USB flash drive, customization files in .png or .tga format are easily uploaded, in batches or one at a time. Detailed directions and sample Photoshop files can be viewed and downloaded from our web site at [www.TeamPlayInc.com](http://www.TeamPlayInc.com).
- ❖ Eighty-Nine Border Options. The Fun Stop Photos™ Gen II photo booth comes pre-loaded with 89 different borders. Or, you can have custom borders created specifically for your location and loaded onto your photo booth by Team Play. The Gen II photo booth allows you to upload your own custom borders, as well.
- ❖ Time-released holiday borders are automatically added to the customers' options. The default setting will allow these borders to appear prior to the date of the holiday and disappear an appropriate one week after the holiday date.
- ❖ Animated Border Selection: This feature categorizes the borders into groups, making it easier for the customer to select a border without having to go through each and every one. Groups will include categories for “color borders,” “sports borders,” “seasonal borders,” and so on, up to as many categories as the operator wishes to include. Both the number of categories, and the number of borders within each category, can be limited by the operator.
- ❖ Event Photo Storage is a feature that allows the operator to save photos when the photo booth is put on “Event Play.” This feature is designed to allow the coin-operated Gen II Fun Stop Photos™ Gen II photo booth to be rented for events. The photos taken during the event are stored on a USB flash drive for later use by the event host. Events can be programmed weeks, months or years in advance.
- ❖ Twelve Background Music Options. The operator has the ability to select one of twelve musical backgrounds that plays upon payment start up, or the background music can be turned off completely.

- ❖ Rear Screen Status Icon. In the event of a non-fatal error such as paper out, an error status icon (a yellow exclamation point in a circle ) will appear in the lower left corner of each of the Wide-Format Touch Screen LCD monitors. This feature allows company personnel to immediately identify non-fatal errors such as paper out, printer failure or camera status, without opening the machine. If the error icon is displayed, more detailed information can be seen on-screen when the coin door is opened.
  - ❖ Printer Status on LCD Touch Screens: Upon opening the cash door, each of the LCD screens will automatically display the status of both printers. If both printers are functioning properly and have media, the background color of the screens will be “Blue,” indicating all is well. The exact number of prints remaining in each printer will also be displayed. A “Red” background indicates that one or both of the printers are out of media, or a more serious problem exists. The printer status will be clearly stated on the LCD Screens (e.g., “paper jam printer 1”).
  - ❖ Audit Reports are generated as “current” for a given time period and “lifetime.” Current audits can be reset after each collection. Lifetime audits are non-resettable. An audit report also can be printed directly from the Fun Stop Photos™ Gen II photo booth at the time of collection.
  - ❖ Camera Adjustments. The Fun Stop Photos™ Gen II software allows a full range of camera adjustments, including brightness, contrast, saturation, hue, sharpness and white balance temperature. Thus, your camera can readily be adjusted to accommodate the lighting environment of your location.
  - ❖ Automatic Color Correction feature allows realistic, high-definition prints and media storage.
- 

### **Language Options**

- ❖ English and Spanish: The language selected will appear in all written and verbal instructions. Your customers will hear the photo booth instructions in the selected language. All operator adjustment menus will also appear in the selected language. Other language options may be purchased.
-



## Gen II Dimensions

- ❖ 32.5" wide x 45" deep
- ❖ 100" high with the Camera Topper
- ❖ 77.5" high without the Camera Topper
- ❖ 470 pounds when set-up – 530 pounds crated for shipping



---

If you have questions, please visit our web site at [www.teamplayinc.com](http://www.teamplayinc.com). Or, feel free to call Team Play at (847) 952-7533, or email <mailto:Sales@teamplayinc.com>.